



MOPANI DISTRICT MUNICIPALITY

Government Buildings, Giyani Main Road
Mopani District Building
Private Bag X9687
Giyani, 0826

Tel: +27 15 811 6300
Fax: +27 15 812 4301
Enq: Mr. Mojela J
Email: mojelaj@mopani.gov.za

**Budget and Treasury
Office**

Supply Chain Management

TO: ALL BIDDER(S) FOR BID REFERENCE NO: MDM 2025/26-15 (Provision of ISO 17025 accredited Laboratory to analyse SANS 241)

FROM: MUNICIPAL MANAGER

RE: NOTICE TO EXEND BID VALIDITY BY 90 DAYS

MDM notify all bidders that bid valid period have been extended by another 90 days to 180 days in-term MDM SCM Policy Clause 21(7) for the below mention bid(s) that waiting for the bid Committees to finalise SCM bidding process:

Bid No	Bid Description	Closing date	Expiry date	Valid periods extend to date
MDM 2025/26-15	Provision of ISO 17025 accredited Laboratory to analyse SANS 241 determinants required for Annual publication for Mopani District Municipality for a period of 12 months	02 December 2025	02 March 2026	02 June 2026

*All bidder(s) are requested to respond in written where they are changes that by invalidated the submitted bid

*If bidder does not respond in written, municipal will regards that bid valid without any adjustments/alteration

Notice had been publish on MDM official website (www.mpoani.gov.za) & Notice board for more information.

Duly Signed

Mogano TJ
Municipal manager

Date